

Safety Notice: A separate safety instruction is included with this product and should be read before installation and operation. Visit <https://www.ochno.com/safety> for a digital version. This product is for in-door use only.

Declaration of Conformity: This products meet the essential health and safety requirements, is in conformity with the CE marking and the UKCA marking has been applied according to the relevant EU Directives and applicable UK Statutory Instruments using the relevant section of the corresponding standards and normative documents. Visit <https://www.ochno.com/regulatory> for more information, point of contacts and declaration of conformity.

Warranty information: This product is backed by a one-year warranty. Visit <https://www.ochno.com/warranty/> for information on product warranty terms and conditions.

Chemical substances: Ochno is committed to providing our customers with information about the chemical substances in our products as needed to comply with legal requirements such as REACH (Regulation EC No 1907/2006). A chemical information report for this product can be found at <https://www.ochno.com/reach>

Environmental notices: Do not dispose of your product with your other household waste. Instead, you should protect human health and the environment by handing over your waste equipment to a designated collection point for the recycling of waste electrical and electronic equipment. For more information, please contact your household waste disposal service or go to <https://www.ochno.com/recycle>



Ochno AB

Kopparbergsvägen 45 | 722 19 Västerås | SWEDEN
www.ochno.com | +46 21 475 04 00



POCHNO

Ochno USB-C to USB-C Cable



Part Number	Description
O-USBG2-70-1	Side A: Straight Type-C, Side B: Straight Type-C, White braid, 70cm long
O-USBG2-70-2	Side A: Straight Type-C, Side B: Angular Type-C, White braid, 70cm long
O-USBG2-70-S-2	Side A: Straight Type-C, Side B: Angular Type-C, Black braid, 70cm long

Product Information

This USB-C cable is optimised for connecting the Ochno Socket or Ochno Socket LED to the laptop or mobile.

Both cable and outlets are either in anodized black aluminium or pure sandblasted aluminium color.

The cables are 70cm which together with the Ochno Sockets length of 1m gives 1.7m in total which is within the max length of 2m for passive USB-C cables for full 100W charging and robust video transmission.



Datasheet

General

Warrenty	1 year
Net weight	32g
Shipping weight	50g
Length	70 cm
In the box	USB-C cable Instruction manual

Technical Data

Voltage rating	5V DC to 20V DC
Current rating	Up to 5A
Power rating	Up to 100W
E-Marker	Yes, integrated chip

Supported protocols

Control	Power Delivery 3.0
USB	USB 2.0, up to 480 Mbps USB 3.1, up to 10 Gbps
Video	Alt-mode DisplayPort 1.4 2 or 4 lanes, 8.1 Gpbs/lane, total up to 32.4 Gpbs
Thunderbolt	Not certified for TBT3/TBT4/USB4

Connectors

Plug A	USB Type-C 24 Pin Male
Plug B	USB Type-C 24 Pin Male



OCHNO

Safety Notice: A separate safety instruction is included with this product and should be read before installation and operation. Visit <https://www.ochno.com/safety> for a digital version. This product is for in-door use only.

Declaration of Conformity: This products meet the essential health and safety requirements, is in conformity with the CE marking and the UKCA marking has been applied according to the relevant EU Directives and applicable UK Statutory Instruments using the relevant section of the corresponding standards and normative documents. Visit <https://www.ochno.com/regulatory> for more information, point of contacts and declaration of conformity.

Warranty Information: This product is backed by a one-year warranty. Visit <https://www.ochno.com/warranty/> for information on product warranty terms and conditions.

Chemical substances: Ochno is committed to providing our customers with information about the chemical substances in our products as needed to comply with legal requirements such as REACH (Regulation EC No1907/2006). A chemical information report for this product can be found at <https://www.ochno.com/reach>

Environmental notices: Do not dispose of your product with your other household waste. Instead, you should protect human health and the environment by handing over your waste equipment to a designated collection point for the recycling of waste electrical and electronic equipment. For more information, please contact your household waste disposal service or go to <https://www.ochno.com/recycle>



Ochno AB

Kopparbergsvägen 45 | 722 19 Västerås | SWEDEN
www.ochno.com | +46 21 475 04 00



OCHNO

Ochno USB-C to USB-C Cable



Part Number

O-USBG2-200-2

O-USBG2-200-3

Description

Side A: Regular Type-C, Side B: Type-C w/ Locking screw, White, 200cm long

Side A: Regular Type-C, Side B: Type-C w/ Locking screw, Black, 200cm long



OCHNO

Product Information

This USB-C cable is used as a pull-out cable in a conference table, connecting a laptop with Ochno Power Conference 3 to provide charging, video transmission and USB communication.

The cable is 2m long and supports up to 100W charging.

It has a special locking screw in one end that ensure that it tightly connected to the Power Conference unit and will not fall out or break when users are pulling on the cable.



Datasheet

General

Warrenty	1 year
Net weight	75g
Shipping weight	98g
Length	200 cm
In the box	USB-C cable Instruction manual

Technical Data

Voltage rating	5V DC to 20V DC
Current rating	Up to 5A
Power rating	Up to 100W
E-Marker	Yes, integrated chip

Supported protocols

Control	Power Delivery 3.0
USB	USB 2.0, up to 480 Mbps USB 3.1, up to 10 Gbps
Video	Alt-mode DisplayPort 1.4 2 or 4 lanes, 8.1 Gpbs/lane, total up to 32.4 Gpbs
Thunderbolt	Not certified for TBT3/TBT4/USB4

Connectors

Plug A	USB Type-C 24 Pin Male. Locking screw, M2
Plug B	USB Type-C 24 Pin Male